

Test Report

for GPS L1/BEIDOU 1 TIME SERVICE ANTENNA



Model: HXAT00GBATS40F

Chengdu HAIXIN MICROWAVE Technology Co., Ltd

Add: Chengdu 610091, China

Tel: +86-28-87089208


Website: www.hxmicrowave.com

Fax: +86-28-87089208

Email: sale@hxmicrowave.com

Specification

1. Frequency: GPS L1:1575.42MHz±5MHz
BD1:2491.75MHz±4MHz
2. Pattern:
Azimuth: Omnidirectional
Elevation: Hemispherical
3. LNA Gain: 39dB±2dB
4. Polarization: Right-hand circular
5. AR: ≤4dB
6. Noise: ≤2dB
7. Impedance : 50 Ω
8. VSWR : ≤2:1
9. Power requirements: Voltage: 5~12VDC
Current: ≤40mA
10. Connector: TNC female
11. Operating Temperature : -40℃~+85℃
12. Store Temperature : -55℃~+85℃
13. Weight: ≈ 250 g
14. Size: Φ105×120mm



Test Instruments

Agilent 83630B
HP8563E
HP8720D

Chengdu HAIKIN MICROWAVE Technology Co., Ltd

Add: Chengdu 610091, China
Tel: +86-28-87089208
Website: www.hxmicrowave.com

Fax: +86-28-87089208

Email: sale@hxmicrowave.com


Test Results

1. Gain


Frequency (GHz)	Gain (dBic)
1.575	41.6
2.492	42

2. Pattern

1575MHz



2492MHz



Chengdu HAXIN MICROWAVE Technology Co., Ltd

Add: Chengdu 610091, China

Tel: +86-28-87089208

Website: www.hxmwave.com

Fax: +86-28-87089208

Email: sale@hxmwave.com