

Test Report

for GPS L1/GLONASS L1/BEIDOU 1 TIME SERVICE ANTENNA



Model: HXAT0GGBATS40F

Chengdu HAIKIN MICROWAVE Technology Co., Ltd

Add: Chengdu 610091, China

Tel: +86-28-87089208


Website: www.hxmicrowave.com

Fax: +86-28-87089208

Email: sale@hxmicrowave.com

Specification

1. Frequency: GPS L1:1575.42MHz±5MHz
GLONASS L1:1602MHz±8MHz
BD1:2491.75MHz±4MHz
2. Pattern:
Azimuth: Omnidirectional
Elevation: Hemispherical
3. LNA Gain: 47dB±2dB
4. Polarization: Right-hand circular
5. AR: ≤4dB
6. Noise: ≤2dB
7. Impedance : 50 Ω
8. VSWR : ≤2:1
9. Power requirements: Voltage: 5~12VDC
Current: ≤40mA
10. Connector: TNC female
11. Operating Temperature : -40℃~+85℃
12. Store Temperature : -55℃~+85℃
13. Weight: ≈ 250 g
14. Size: Φ105×120mm



Test Instruments

Agilent 83630B
HP8563E
HP8720D

Chengdu HAXIN MICROWAVE Technology Co., Ltd

Add: Chengdu 610091, China
Tel: +86-28-87089208
Website: www.hxmwave.com

Fax: +86-28-87089208
Email: sale@hxmwave.com


Test Results

1. Gain


Frequency (GHz)	Gain (dBic)
2.492	50.6
1.575	49.8
1.602	50.1

2. Pattern

1575MHz



1602MHz



Chengdu SIWI Electronic Co., Ltd

Add: SIWI Electronic Building, Xiejiaji, Chengdu 610091, China

Tel: +86-28-81705119 87360620

Website: www.siwi.com.cn

Fax: +86-28-81707519

Email: market@siwi.com.cn

